

Material Safety Data Sheet

Completed 20-06-2023
Revision: (date) 11-09-2025
SDS version 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Trade Name: HyDra Formolie ROB
Product- no.: 10060

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses:

Industry.

Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

1.3. Details of the supplier of the safety data sheet

Company and address:

HauCon A/S
Lægårdsvej 30
DK-8520 Lystrup
+45 8622 9393

Contact person and E-mail:

sds@haucon.dk

The Safety data sheet is completed and validated by:

Mediator ApS, Centervej 2, DK-6000 Kolding. Consultant: KN

1.4. Emergency telephone number

Use your national or local emergency number - For "First aid measures" see section 4.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The product is not subject to labelling under CLP Regulation No. 1272/2008.

2.2. Label elements

-

Signal word:

-

Repeated exposure may cause skin dryness or cracking. (EUH 066)

2.3. Other hazards

-

Additional labelling:

-

Additional warnings

-

SECTION 3: Composition/information on ingredients

3.1./3.2. Substances/Mixtures

Substance	EU-Index no. / REACH-Reg. no.	CAS-no.	EINECS-no.	CLP-classification	Wt/Wt %	Note
Alkanes, C12-15- branched and linear	- / -	1437281-03-2	846-790-8	Asp. Tox. 1;H304, EUH 066	40-60	1
2,2'-(octadec-9- enylimino) bisethanol	- / -	25307-17-9	246-807-3	Acute Tox. 4;H302, Skin Corr. 1A;H314, Aquatic Chronic 1;H410, M=1	<0,25	-

1) Asp. Tox. 1;H304 is not applicable due to the high viscosity of the product.

See full text of H-phrases in section 16.

Material Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

In case of discomfort: Seek fresh air.
Keep victim under observation.
Seek medical advice in case of persistent discomfort.

Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.
Do not induce vomiting.
If vomiting occurs, keep head low so that stomach contents do not enter lungs.
Seek medical advice immediately.

Skin contact:

Wash skin with soap and water.
Seek medical advice in case of persistent discomfort.

Eye contact:

Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.

Additional information:

When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Extinguish with powder, foam, carbon dioxide or water mist.
Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Avoid inhalation of vapour and fumes – seek fresh air.
Fire will produce dense black smoke.
Exposure to decomposition products may cause a health hazard.

5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.
Fire fighters should wear appropriate protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8 for type of protective equipment.

6.2. Environmental precautions

Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains.
Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers.
Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment.
See section 13 for instructions on disposal.

Material Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See section 8 for information about precautions for use and personal protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.
Keep in tightly closed original packaging.

7.3. Specific end use(s)

See application section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Indicative occupational exposure limit value (IOELV)

-

DNEL/PNEC-values:

DNEL 2,2'-(octadec-9-enylimino) bisethanol

	Workers	Consumers
Inhalation - Chronic Systemic	2.96 mg/m ³	0.522 mg/m ³
Dermal - Chronic Systemic	0.42 mg/kg bw/day	0.15 mg/kg bw/day
Oral - Chronic Systemic	-	0.15 mg/kg bw/day

PNEC 2,2'-(octadec-9-enylimino) bisethanol

Fresh water	0,214 µg/L
Intermittent releases (Fresh water)	0,87 µg/L
Marine water	0,021 µg/L
Soil	5 mg/kg soil dw

8.2. Exposure controls

There are no exposure scenarios for this product.

Appropriate engineering controls:

Wear the personal protective equipment specified below.
Wash hands before breaks, before using restroom facilities, and at the end of work.

Personal protective equipment:



Respiratory protection:

Generally not required.

Hand protection:

Recommended:
Wear protective gloves made of nitrile rubber (> 0.11 mm).
Penetration time: > 480 min

Eye/face protection:

Generally not required.

Skin protection:

Not required.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

Material Safety Data Sheet

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Brown / yellowish
Odour:	Paraffinic
Melting point/ Freezing Point (°C):	< -25
Boiling point or initial boiling point and boiling range (°C):	>200
Flammability:	-
Lower and upper explosion limit (vol-%):	-
Flash point (°C):	>150
Auto-ignition temperature (°C):	-
Decomposition temperature (°C):	-
pH:	-
Kinematic viscosity (mm ² /s):	>20.5 /40 °C)
Solubility:	Not soluble in water
Partition coefficient n-octanol/water (log value)	-
Vapour pressure:	-
Density and/or relative density:	0.838 g/cm ³
Relative vapour density:	-
Particle characteristics:	-

9.2. Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity:

Based on the existing data, the classification is not met.

Substance	exposure	Species	Test	Result
2,2'-(octadec-9-enylimino) bisethanol	Oral	Rat	LD50	1260 mg/kg bw

Skin corrosion/irritation:

May irritate the skin – may cause reddening.

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/irritation:

May cause eye irritation.

Respiratory or skin sensitisation:

Based on the existing data, the classification is not met.

Germ cell mutagenicity:

Based on the existing data, the classification is not met.

Carcinogenicity:

Based on the existing data, the classification is not met.

Material Safety Data Sheet

Reproductive toxicity:

Based on the existing data, the classification is not met.

STOT-single exposure:

Based on the existing data, the classification is not met.

STOT-repeated exposure:

Based on the existing data, the classification is not met.

Aspiration hazard:

Based on the existing data, the classification is not met.

11.2. Information on other hazards

Test data are not available.

SECTION 12: Ecological information

12.1. Toxicity

Substance	Test duration	Species	Test	Result
2,2'-(octadec-9-enylimino) bisethanol	48 Hours	Daphnia	EC50	0.043 mg/L
2,2'-(octadec-9-enylimino) bisethanol	72 Hours	Algae	EC50	86.7 µg/L

12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
2,2'-(octadec-9-enylimino) bisethanol	Yes	OECD Guideline 301 D	28 Days 60-65%

12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow
2,2'-(octadec-9-enylimino) bisethanol	Yes	3.4

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

12.6. Endocrine disrupting properties

Test data are not available.

12.7. Other adverse effects

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product is not classified as hazardous waste according to Waste Management. Disposal of spillage and waste via the municipal waste collection service with the specifications below is recommended.

EWC-Code	Description
16 03 06	Organic wastes other than those mentioned in 16 03 05

Specific labelling:

-

Contaminated packaging:

Empty packaging and residues must be disposed of through the municipal waste collection service for hazardous waste.

Material Safety Data Sheet

SECTION 14: Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

14.1 -14.4.

ADR

-

IMDG/IATA

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

DGNB GISCODE: BTM 10.

Sources:

Commission Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, EU 2017/164 and EU 2019/1831 (the first, second, third, fourth and fifth IOELV Directives).

Additional labelling:

-

Restrictions for application:

-

Demands for specific education:

-

15.2. Chemical safety assessment

None.

SECTION 16: Other information

According to EU regulation 1907/2006 (REACH)

Other information:

Sources:

EC regulation 1907/2006 (REACH), with amendments.

EC Regulation 1272/2008 (CLP), with amendments.

Directive 2008/98/EC

ECHA - The European Chemicals Agency

Full text of H-phrases as mentioned in section 2+3:

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H410	Very toxic to aquatic life with long lasting effects.
EUH 066	Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) Nr. 1272/2008:

-

Material Safety Data Sheet

Abbreviations and acronyms used in the safety data sheet:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals. Regulation (EC) No 1907/2006.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level.

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

Other:

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

DGNB registration code: 91Z2YU. Category 3.



Minor changes have been made in following sections:

General update.

This material safety data sheet replaces version:

1.2